



## **SAFETY DATA SHEET**

### **Horseman's One Step Leather Cleaner & Conditioner**

#### **SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1. Product identifier**

Product name: Horseman's One Step Leather Cleaner & Conditioner

UFI No: HX00-W08V-700H-A7J1

Mixture

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified use: Leather cleaner and conditioner

Uses advised against: all other uses

**1.3. Details of the supplier of the safety data sheet**

W.F. Young GmbH

Thomas-Wimmer-Ring 17

80539 Munich, Germany

Telephone number for information: +49 89 20194070

e-mail: SDS@wfyong.com

**1.4. Emergency telephone number**

National Poisons Information Service:

In England and Wales: NHS Direct - 0845 4647 or 111 (for healthcare professional only)

In Scotland: NHS 24-08454 24 24 24

Company hotline: +1 413 526 9999 (available 24/7)

#### **SECTION 2: HAZARDS IDENTIFICATION**

**2.1. Classification of the mixture**

Skin Irrit. 2, H315

Eye Irrit. 2, H319

Aquatic chronic 3, H412

## 2.2. Label elements

Pictogram:



Signal word: Warning

Hazard statement:

H315: Causes skin irritation

H319 Causes serious eye irritation

H412: Harmful to aquatic life with long lasting effects

Precautionary statements:

*General Statements:*

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

*Prevention statements*

P264: Wash hands thoroughly after handling.

P273 Avoid release to the environment.

*Response Statements:*

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

*Disposal Statements:*

P501: Dispose of contents/container in accordance with local regulations

## 2.3. Other hazards

None identified

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

The product is a mixture

### 3.2. Mixtures

Substance name	Content (%)	CAS No.	EINECS No.	Hazard Classification
White mineral oil	30 - 40	8042-47-5	232-455-8	Asp. Tox. 1, H304
1-Propanaminium	3 - 5	68139-30-0	268-761-3	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic chronic 2, H411
Docusate sodium	1 - 2	577-11-7	209-406-4	Eye Dam. 1, H318 Skin Irrit. 2, H315

Caustic Soda 50% *	0.1 - 3	1310-73-2	215-185-5	Skin Corr. 1A, H314 Aquatic chronic 3, H412
Glycerine *	1 - 5	56-81-5	200-289-5	Not classified

\*Substance with a workplace exposure limit, see Section 8

For the wording of the listed hazard statements refer to Section 16.

#### SECTION 4: FIRST AID MEASURES

##### 4.1. Description of first aid measures

Eye Contact: flush eyes cautiously for 15 minutes with plenty of water or eye wash solution. Remove contacts if present and easy to do. Continue rinsing. Seek medical attention if eye irritation occurs and persists.

Skin Contact: Wash skin thoroughly with soap and water. Seek medical attention if skin irritation develops and persists.

Inhalation: remove victim to fresh air.

Ingestion: DO NOT induce vomiting. Do not give anything by mouth to an unconscious or convulsing person. Rinse mouth with water for several minutes. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

##### 4.2. Most important symptoms and effects, both acute and delayed

After contact with eyes: irritation, redness, tears, swelling, iris irritation, conjunctivitis.

After contact with skin: irritation, redness.

##### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms and eliminate overexposure. Clear water point recommended at the workplace.

#### SECTION 5: FIRE-FIGHTING MEASURES

##### 5.1. Extinguishing media

Suitable extinguishing media: Water Spray, Carbon Dioxide, Foam, Dry Chemical.

Unsuitable extinguishing media: None identified.

##### 5.2. Special hazards arising from the substance or mixture

In case of fire, do not breath fumes. Decomposition products may include oxides of carbon and hydrocarbons.

##### 5.3. Advice for fire-fighters

Wear self-contained respiratory equipment and protective clothing. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray.

If possible, prevent run-off water from entering storm drains, bodies of water, or other environmentally sensitive areas.

**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1. Personal precautions, protective equipment and emergency procedures**

Wear protective equipment as per Section 8. Avoid contact with skin and eyes.

**6.2. Environmental precautions**

Prevent product from entering drains.

**6.3. Methods and material for containment and cleaning up**

Small spills: Collect material via broom or mop. Place in tightly sealed containers for proper disposal according to local regulations. Approach spill areas with caution.

Large Spills: Contain with inert, non-combustible material: sand, vermiculite, earth, diatomaceous earth. Sweep up or shovel. Place in sealed container and dispose according to local regulations.

**6.4. Reference to other sections**

See Sections 7, 8, 12 and 13.

**SECTION 7: HANDLING AND STORAGE****7.1. Precautions for safe handling**

Wear protective equipment as per Section 8. Avoid contact with skin. When handling, do not eat, drink, or smoke. Wash hands thoroughly after handling.

**7.2. Conditions for safe storage, including any incompatibilities**

Keep away from incompatible materials. Keep container closed when not in use. store in original container in well ventilated area. Keep out of reach of children.

**7.3. Specific end use(s)**

Refer to section 1.2

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1. Control parameters**

Where listed, National Occupational Exposure limits (OEL) apply in UK for:

Substance and CAS No	Limit value – Eight hours		Limit value – Short term	
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Glycerine CAS No 56-81-5	-	10	-	-
Caustic Soda CAS No 1310-73-2	-	-	2	-

OEL values are in place in other countries.

**8.2. Exposure controls**Appropriate engineering controls:

Handle in accordance with good hygiene and safety practice. Wash hands before breaks and at the end of workday. Minimize body contact with this, as well as all chemicals in general. When using do not eat, drink or smoke.

Individual protection measures, such as personal protective equipment

<i>Eye/face protection:</i>	Safety glasses or goggles EN 166 recommended.
<i>Skin protection:</i>	For good hygiene reasons, it is recommended to wear protective clothing.
<i>Hand protection:</i>	Chemical resistant gloves are recommended to prevent skin contact.
<i>Respiratory protection:</i>	No personal respiratory protective equipment normally required for properly ventilated areas. Sufficient ventilation should be provided to maintain levels below exposure limits. Wear respiratory equipment in case of transfer, intensive use or use in confined area.
<i>Thermal hazards:</i>	See sections 6 and 7.

Environmental exposure controls

Prevent from entering the drains/surface waters/groundwater.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1. Information on basic physical and chemical properties**

Physical state:	White paste
Colour:	White
Odour:	Mild characteristic odour
pH:	9.8
Melting/Freezing Point:	- 17.8°C
Boiling Point:	No data available
Flash Point:	> 93.3°C
Evaporation Rate:	< 1
Flammability:	No data available
Upper/Lower flammability:	No data available
Explosion Limits:	No data available
Vapour Pressure:	0.5mm Hg at 20°C
Vapour Density:	> 1
Relative Density:	No data available
Specific Gravity:	0.888

Solubility in Water: Emulsifies  
Partition Coefficient (n-octanol/water): No data available  
Auto-Ignition temperature: No data available  
Decomposition temperature: No data available  
Viscosity: >20.5 mm<sup>2</sup>/s @ 40°C

## 9.2. Other information

None

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

This product is not reactive under normal storage and use conditions recommended in section 7.

### 10.2. Chemical stability

Stable under normal temperature conditions and recommended use recommended in section 7.

### 10.3. Possibility of hazardous reactions

Will not occur under handling and storage conditions recommended in section 7.

### 10.4. Conditions to avoid

Avoid extreme temperatures.

### 10.5. Incompatible materials

Strong oxidizing agents, strong acids.

### 10.6. Hazardous decomposition products

Will not occur if handled and stored properly under conditions recommended in section 7. See section 5 for combustion products.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

Acute toxicity: No experimental test data available for the mixture. Based on available data, the classification criteria are not met.

Skin corrosion/irritation: No experimental test data available for the mixture. Based on available data, skin irritant.

Serious eye damage/irritation: No experimental test data available for the mixture. Based on available data, irritating to the eyes.

Respiratory or skin sensitization: No experimental test data available for the mixture. Based on available data, the classification criteria are not met.

Germ cell mutagenicity: This product does not contain ingredients that are suspected to be a germ cell mutagenic.

Carcinogenicity: Not available.

Reproductive toxicity: This product is not expected to be a human reproductive toxicant.

STOT-single exposure: Not available.

STOT-repeated exposure: Not available.

Aspiration hazard: No experimental test data available for the mixture. Based on available data, the classification criteria are not met.

#### **11.2. Information on other hazards**

Endocrine disrupting properties: Not available.

### **SECTION 12: ECOLOGICAL INFORMATION**

#### **12.1. Toxicity**

No experimental test data available for the mixture. Based on available data, the product is harmful to aquatic life with long lasting effects.

#### **12.2. Persistence and Degradability**

No specific data available on this product

#### **12.3. Bioaccumulative potential**

No specific data available on this product

#### **12.4. Mobility in soil**

No specific data available on this product. Not applicable to mixtures.

#### **12.5. Results of PBT and vPvB assessment**

No specific data available on this product. No PBT/vPvB substances in the mixture.

#### **12.6. Endocrine disrupting properties**

No data available.

#### **12.7. Other adverse effects**

No data available.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### **13.1. Waste treatment methods**

Do not discharge into drains or the environment.

Unused product: discard according to the local regulations as hazardous waste.

Contaminated packaging: the waste products and worn-out packages must be discarded according to the local regulations.

**SECTION 14: TRANSPORT INFORMATION**

The product is not classified as hazardous for transport

**14.1. UN number**

Not applicable

**14.2. UN proper shipping name**

Not applicable

**14.3. Environmental hazard**

Not applicable

**14.4. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable

**SECTION 15: REGULATORY INFORMATION****15.1. 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

This Safety Data Sheet is provided in compliance with REACH Regulation (EC) No 1907/2006, as amended by Regulation (EU) 2015/830, Regulation (EU) No 453/2010 and Commission Regulation (EU) 2020/878.

**15.2. Chemical Safety Assessment**

A REACH chemical safety assessment has not been carried out.

**SECTION 16: OTHER INFORMATION**

Date of updated: September 9, 2022

Version No 3. This safety data sheet replaces any previous version.

Changes in every section to rewrite according to EU regulations.

**Abbreviations and acronyms used in the safety data sheet:**

- OEL: Occupational Exposure Limit
- PBT/vPvB: Persistent, Bioaccumulative and Toxic/Very Persistent and Very Bioaccumulative
- STOT: specific target organ toxicity
- Asp. Tox 1: toxicity by aspiration category 1
- Eye Irrit. 2: irritant to eyes category 2
- Eye Dam. 1: eye damage category 1
- Skin Corr. 1A: corrosive to skin category 1A

Key literature references and sources for data: supplier's SDS and ECHA C&L website.

**Full text of Hazard and EU Hazard-statements:**

H314: Causes severe skin burns and eye damage



H315: Causes skin irritation

H318: Causes serious eye damage

H319: Causes serious eye irritation

H400: Very toxic to aquatic life

H411: Toxic to aquatic life with long lasting effects

H412: Harmful to aquatic life with long lasting effects

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. W.F.Young assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, W.F.Young assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

END OF SDS SHEET - Number of pages: 9

---